UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/577,896	05/01/2006	Martinus Jacobus Johannes Hack	NL 031298	5427
24737 7590 03/26/2008 PHILIPS INTELLECTUAL PROPERTY & STANDARDS P.O. BOX 3001 PRIADCH WE MANOR ANY 10510			EXAMINER	
			WITKOWSKI, ALEXANDER C	
BKIAKCLIFF	LIFF MANOR, NY 10510		ART UNIT	PAPER NUMBER
			4193	
			MAIL DATE	DELIVERY MODE
			03/26/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/577,896	HACK ET AL.			
Office Action Summary	Examiner	Art Unit			
	ALEXANDER C. WITKOWSKI	4193			
The MAILING DATE of this communication Period for Reply	appears on the cover sheet with the o	correspondence address			
A SHORTENED STATUTORY PERIOD FOR RE WHICHEVER IS LONGER, FROM THE MAILING  - Extensions of time may be available under the provisions of 37 CFF after SIX (6) MONTHS from the mailing date of this communication  - If NO period for reply is specified above, the maximum statutory pe  - Failure to reply within the set or extended period for reply will, by st Any reply received by the Office later than three months after the m earned patent term adjustment. See 37 CFR 1.704(b).	G DATE OF THIS COMMUNICATION R 1.136(a). In no event, however, may a reply be tir riod will apply and will expire SIX (6) MONTHS from atute, cause the application to become ABANDONE	N. mely filed the mailing date of this communication. ED (35 U.S.C. § 133).			
Status					
Responsive to communication(s) filed on <u>0</u> This action is <b>FINAL</b> . 2b) □ 1     Since this application is in condition for alloclosed in accordance with the practice under	This action is non-final.  wance except for formal matters, pro				
Disposition of Claims					
4)  Claim(s) 1-22 is/are pending in the applicat 4a) Of the above claim(s) is/are with 5)  Claim(s) is/are allowed. 6)  Claim(s) 1-22 is/are rejected. 7)  Claim(s) is/are objected to. 8)  Claim(s) are subject to restriction and Application Papers 9)  The specification is objected to by the Exam	drawn from consideration.  nd/or election requirement.				
10) ☐ The drawing(s) filed on <u>01 May 2006</u> is/are:  Applicant may not request that any objection to  Replacement drawing sheet(s) including the cor  11) ☐ The oath or declaration is objected to by the	the drawing(s) be held in abeyance. Se- rection is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>					
Attachment(s)  1) ☑ Notice of References Cited (PTO-892)	4) ☐ Interview Summary	r (PTO-413)			
<ul> <li>2) Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>3) Information Disclosure Statement(s) (PTO/SB/08)</li> <li>Paper No(s)/Mail Date</li> </ul>		ate			

Application/Control Number: 10/577,896 Page 2

Art Unit: 4193

## **DETAILED ACTION**

## Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1 - 4, 7, 8, 10, 11, 12, 13 - 16, 19, 20, and 22 are rejected under 35 U.S.C. 102(b) as being anticipated by Courian et al. (US 6,527,370).

With respect to claim 1, Courian et al. teaches an inkjet print head (Fig.1: 80) comprising at least one nozzle chamber (Fig.2: 160), having a nozzle aperture (Fig.1: 104) defined in one wall thereof for the ejection of printing fluid out of said aperture, and a printing fluid supply channel (Fig.1: 54) interconnected with said nozzle chamber (Fig.2: 160), characterized in that it further comprises a printing fluid droplet tail release guide arrangement (col.42, lines 27-29) having a predetermined position at an edge of a circumference of said aperture (col.13, lines 1-4).

With respect to claim 2, Courian et al. teaches that said printing fluid droplet tail release guide arrangement comprises a pointed burr like element the point of which is directed inwards of said aperture (col.42, lines 51-65).

With respect to claim 3, Courian et al. teaches that said printing fluid droplet tail release guide arrangement comprises a bar of essentially triangular cross-section (col.8, line 36) a base of which rests on an inner surface of said nozzle chamber (Fig.2: 160) and a pointed edge of which protrudes towards the center of said aperture (Fig.1: 104) said bar further extending along said inner surface inwards (Fig.17: 420) of said nozzle chamber.

With respect to claim 4, Courian et al. teaches that said printing fluid droplet tail release guide arrangement comprises a pointed structure of essentially pyramidal shape (col.8, line 36) a base of which rests on an inner surface wall of said nozzle chamber (Fig.2: 160) and a pointed tip of which protrudes towards the center (col.42, lines 51-65) of said aperture (Fig.1: 104).

With respect to claim 7, Courian et al. teaches that said printing fluid droplet tail release guide arrangement comprises a recessed section of essentially triangular shape in an inner surface wall (Fig.14; col.43, lines 36-39: disclosing triangular counter-bore) of said nozzle chamber (Fig.2: 160) a base of which rests in the plane of said aperture (Fig.1: 104) and a point of which is directed inwards (col.42, lines 51-65) of said nozzle chamber.

With respect to claim 8, Courian et al. teaches that said printing fluid droplet tail release guide arrangement comprises a recessed section of essentially

triangular pyramidal shape in an inner surface wall (Fig.14; col.43, lines 36-39: disclosing triangular / pyramidal counter-bore) of said nozzle chamber (Fig.2: 160) a base of which rests in the plane of said aperture (Fig.1: 104) and a point of which is directed inwards (col.42, lines 51-65) of said nozzle chamber.

With respect to claim 10, Courian et al. teaches that said printing fluid droplet tail release guide arrangement comprises a recessed section of essentially rectangular shape (Fig.14; col.43, lines 36-39: disclosing square / rectangular counterbore) extending from said aperture (Fig.1: 104) inwards along an inner surface wall of said nozzle chamber (col.43, lines 36-39).

With respect to claim 11, Courian et al. teaches a print cartridge body (claim 9), a fluid reservoir (claim 9) and is characterized in that it further comprises an inkjet print head (Fig.1: 80) according to claim 1.

With respect to claim 12, Courian et al. teaches an inkjet printing device (Fig.21), characterized in that it comprises an inkjet print head (Fig.1: 80) according to claim 1.

Method claims 13 - 16, 19, 20, and 22 recite the same limitations of 102 rejected claims 1 - 4, 7, 8, and 10. Therefore, claims 13 - 16, 19, 20, and 22 are also rejected for the same reasons.

Application/Control Number: 10/577,896 Page 5

Art Unit: 4193

## Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 5, 6, 17, and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Courian et al. (US 6,527,370) in view of Weber et al. (6,527,369).

With respect to claim 5, Courian et al. teaches all the limitations of claim 1 above.

However, Courian et al. does not teach that said printing fluid droplet tail release guide arrangement comprises a pointed burr like element the point of which is directed outwards of an aperture.

Weber et al. teaches that said printing fluid droplet tail release guide arrangement comprises a pointed burr like element the point of which is directed outwards (Weber et al.: Fig.10: showing cusped orifice directed outwards) of an aperture (Fig.10: 1003).

It would have been obvious to one of ordinary skill in the art at the time this invention was made to modify Courian et al. to have a nozzle with a pointed burr like element the point of which is directed outwards of an aperture as taught by Weber et al.

because such a nozzle would cause the printing fluid droplet tail to be severed at a predictable location from the orifice (Abstract: lines 1-4).

With respect to claim 6, Courian et al. teaches all the limitations of claim 1 above.

Page 6

However, Courian et al. does not teach that said printing fluid droplet tail release guide arrangement comprises an essentially saw tooth shaped section arranged at a portion of said edge of said circumference of an aperture.

Weber et al. teaches that said printing fluid droplet tail release guide arrangement comprises an essentially saw tooth shaped section arranged at a portion of said edge of said circumference (Weber et al.: Fig.11: showing multiple-cusp orifice) of an aperture (Fig.11: 1103).

It would have been obvious to one of ordinary skill in the art at the time this invention was made to modify Courian et al. to have a nozzle with an essentially saw tooth shaped section arranged at a portion of said edge of said circumference of an aperture as taught by Weber et al. because such a nozzle results in improved edge roughness and improved quality of print (Abstract: lines 1-4).

Method claims 17 and 18 recite the same limitations of 103 rejected claims 5 and 6. Therefore, claims 17 and 18 are also rejected for the same reasons.

5. Claims 9 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Courian et al. (US 6,527,370) in view of Umehara (US 6,878,298).

With respect to claim 9, Courian et al. teaches all the limitations of claim 1 above.

However, Courian et al. does not teach that said printing fluid droplet tail release guide arrangement comprises a recessed section of essentially hemispherical shape in an inner surface wall of a nozzle chamber a chord of which rests in the plane of an aperture and an arc of which extend inwards of a nozzle chamber.

Umehara teaches that said printing fluid droplet tail release guide arrangement comprises a recessed section of essentially hemispherical shape in an inner surface wall of a nozzle chamber (Umehara: Fig.3: 33, 37, 41) a chord of which rests in the plane of an aperture (Umehara: 33, 37, 41) and an arc of which extend inwards (Umehara: Fig.4: 33a, 33b) of a nozzle chamber.

It would have been obvious to one of ordinary skill in the art at the time this invention was made to modify Courian et al. to have a nozzle with a recessed section of essentially hemispherical shape in an inner surface wall of a nozzle chamber a chord of which rests in the plane of an aperture and an arc of which extend inwards of a nozzle chamber as taught by Umehara because such a nozzle results in a pressure generating cavity that prevents stagnation of ink flow and formation of vapor bubbles (col.16, lines 64-66).

Method claim 21 recites the same limitations of 103 rejected claim 9. Therefore, claim 21 is also rejected for the same reasons.

Application/Control Number: 10/577,896 Page 8

Art Unit: 4193

## Conclusion

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Clark et al. (US 6,938,988) discusses the use of orifice counterbore to cause the tail of the droplet to break in a predictable direction.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to ALEXANDER C. WITKOWSKI whose telephone number is (571)270-3795. The examiner can normally be reached on Monday - Friday 8:00 AM to 5:00 PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Long Nguyen can be reached on 571-272-1753. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

**ACW** 

/Long Nguyen/ Supervisory Patent Examiner Art Unit 4193